



COPYRIGHT
THIS DRAWING AND DESIGN ARE CONFIDENTIAL AND THE PROPERTY OF KANTEY & TEMPLER AND MAY NOT BE DISCLOSED TO A THIRD PARTY, COPIED/REPRODUCED IN WHOLE OR IN PART, WITHOUT THE WRITTEN PERMISSION OF KANTEY & TEMPLER.

GENERAL NOTES


1. ALL DIMENSIONS TO BE CHECKED ON SITE BEFORE ANY WORK IS PUT IN HAND.
2. ALL MATERIALS AND WORKMANSHIP ARE TO BE IN ACCORDANCE WITH THE LATEST EDITION OF THE STANDARDIZED SPECIFICATION, SABS 1200 AND THE STANDARDS REFERRED TO THEREIN.




TYPICAL ROAD PAVING BRICK LAYOUT-12m/10,5m ROAD RESERVE
FOR LONGITUDINAL SLOPES GREATER THAN 10% (N.T.S.)




TYPICAL ROAD PAVING BRICK LAYOUT-12m/10,5m ROAD RESERVE
FOR LONGITUDINAL SLOPES LESS THAN 10% (N.T.S.)




SECTION A-A 1:20
SECTION B-B 1:20
FOUL SEWER MANHOLE: SHALLOW TYPE - PC (MANHOLES UP TO 3,0m DEEP)



SECTION A-A 1:20
SECTION B-B 1:20
DROP INLET CATCHPIT WITH MENTIS RECTAGRID COVER
SCALE: 1 : 20




SECTION A-A 1:100
SECTION B-B 1:100
TYPICAL CROSSSECTION OF INTERNAL ROADS
TYPICAL CROSSSECTION OF ACCESS ROADS




- NOTES
1. ALL CONCRETE TO BE 30MPa MASS CONCRETE.
 2. HEADWALL TO BE FOUNDED ON INSITU MATERIAL COMPACTED TO AT LEAST 100% MOD AASHTO DENSITY.
 3. EMBANKMENTS TO BE PROTECTED AS DIRECTED ON SITE.
 4. B = 500 FOR 900Ø PIPE, 250 FOR 450Ø PIPE.

SECTION A-A



ELEVATION A



PLAN

OUTLET HEADWALL

SECTION D-D 1:10

No	Description	Dwn	Date	App
A	FOR APPROVAL	CAL	08-07-15	NA

REVISIONS

Designed	Initials	Date
Drawn	CAL	08-07-15
Project Eng	NA	08-07-15
Approved	NA	08-07-15

SCALE : AS SHOWN

K&T
KANTEY & TEMPLER
CONSULTING ENGINEERS
Engineering African Development
P O BOX 458 GEORGE SOUTH AFRICA 6530 TEL: +27 44 574 2177

Client	GARDEN ROUTE CHALET (PTY) LTD
Project	THE HILL
Title	DETAILS
Drawing No	G4680-CE-102
Rev No	A